

Workflow

 Distill now View PDF using:

Acrobat

Location: C:\Program Files\Adobe\Acrobat
8.0\Acrobat\Acrobat.exe Prepare PostScript for distilling separately Use Distiller's "Watched Directory"

Select...

Location: "None selected"

 Include downloadable fonts

Make sure this box is NOT checked!

 Override Distiller's Job Options

Edit...

PageMaker's printer style:

Acrobat

Paper size(s):

Same as page size(s)

Pages: All Ranges:

1-

Export...

Cancel

PDF Options...

Control...

Save Settings

Load Settings

Reset Settings

Then, go here...

See next page for Control...



- Always print all publications in book
- Always save publication(s) before exporting to PDF
- Confirm folder location and file name
- Quit Distiller after use
- Check for PageMaker printer style conflicts

Output color model**Device dependent**

- RGB (best for screen display)
- CMYK (best for print output)

Device independent

- CIE (best for mixed use)

 Use EPS screen preview

You must use this setting, but
DON'T worry that this will make your images CMYK

Adobe PDF Settings



General Images Fonts Color Advanced PDF/X

Color Images

Downsample: Bicubic Downsampling to 300 pixels per inch
for images above: 450 pixels per inch
Compression: ZIP

Grayscale Images

Downsample: Bicubic Downsampling to 300 pixels per inch
for images above: 450 pixels per inch
Compression: ZIP

Monochrome Images

Downsample: Bicubic Downsampling to 1200 pixels per inch
for images above: 1800 pixels per inch
Compression: CCITT Group 4
Anti-alias to gray: Off

Save As...

OK

Cancel

Help

Adobe PDF Settings

General Images Fonts Color Advanced PDF/X

 Embed all fonts Subset embedded fonts when percent of characters used is less than: 100 %

When embedding fails: Warn and continue

Embedding

Font Source:

C:\Fonts_all\

Add ->

Always Embed:

Never Embed:

Add ->

Add Name...

Remove

Save As...

OK

Cancel

Help

Adobe PDF Settings

General | Images | Fonts | Color | **Advanced** | PDF/X

Options

- Allow PostScript file to override Adobe PDF settings
- Allow PostScript XObjects
- Convert gradients to smooth shades
- Create Job Definition Format (JDF) file
- Preserve Level 2 c_opypage semantics
- Preserve overprint settings
 - Overprinting default is nonzero overprinting
- Save Adobe PDF settings inside PDF file
- Save original JPEG images in PDF if possible
- Save Portable Job Ticket inside PDF file
- Use Prologue.ps and Epilogue.ps

Document Structuring Conventions (DSC)

- Process DSC comments
 - Log DSC warnings
 - Preserve EPS information from DSC
 - Preserve OPI comments
 - Preserve document information from DSC
 - Resize page and center artwork for EPS files

Save As...

OK

Cancel

Help

Adobe PDF Settings



General | Images | Fonts | Color | Advanced | PDF/X

PDF/X Reporting and Compliance

 PDF/X-1a PDF/X-3When not compliant:

If Neither TrimBox nor ArtBox are Specified

- Report as error
- Set TrimBox to MediaBox with offsets (Inches):

Left: Right: Top: Bottom:

If BleedBox is Not Specified

- Set BleedBox to MediaBox
- Set BleedBox to TrimBox with offsets (Inches):

Left: Right: Top: Bottom:

Default Values if Not Specified in the Document

OutputIntent Profile Name: OutputCondition: RegistryName (URL): Trapped:

Save As...

OK

Cancel

Help